#### CHIMNEYSHROUDS



Custom Designed Chimney Pots and Shrouds





# Craftsmanship.\*\*

Chimney Pots can also be used to cover an unsightly metal fireplace termination or used in lieu of a factory rain cap or spark arrestor (check with your local ordinance for proper application with pre-fabricated fireplace systems). Chimney pots are a popular selection for rain caps and spark arrestors for masonry chimneys as well.



All chimney pots available in custom sizes.

Item#	Standard Size	Base	Overall Height
P1	18" 20"	Round Round	30" 40"
P2	20"	Square	42"
P3	20″	Square	32"
P4	20″	Square	46"
P5	20"	Square	40"
P6	20"	Square	36"
P7	22"	Square	42"
P8	20"	Round	40"

Item#	Standard Size	Base	Overall Heigh
P9	20"	Square	32"
P10	18" 22"	Octagonal Octagonal	40" 48"
P11	20"	Square	46"
P12	22"	Octagonal	40"
P13	18" 22"	Octagonal Octagonal	32" 40"
P14	18" 20" 22"	Square Square Square	36" 40" 48"



### Finish.

Our chimney shrouds are offered in a wide variety of colors and finishes for that perfect match. Contact us today to explore our full offering.



Natural Copper









**Brown Patina** Copper



Freedom Gray





Copper



Galvanized



# Start.

Measuring Guide: Some information is required for proper manufacturing of your chimney cap. See below for information required. Not all information is required.


#### Chimney Shroud/Cap Worksheet

DESIGN:	Height:
(#1-72) or (P1-P15)	Open Top: (Ex. #1, #2 etc.)
Custom (attach image)	Overall Height (20" unless Specified)
MATERIAL: *indicates stock gauge/material	Mailbox Style: (Ex. #5, #8 etc.)  Overall Height(24" unless specified)
<ul> <li>Natural Copper: 16 oz.* 20 oz.* 24 oz. 32 oz.</li> <li>Patina: □ Green or □ Brown</li> <li>Stainless Steel: 18 ga. 20 ga. 22 ga. 24 ga* 26 ga.</li> <li>Paint Grip Steel: 18 ga. 20ga. 22 ga. 24 ga* 26 ga.</li> <li>Colored Steel. Please specify color</li> </ul>	House Style: (Ex. #22, #25 etc )  Vertical Leg/Wall Height (20" unless specified)  BASE DIMENSION:  Top mount: X Before Flange (includes flange if inward)
Lead Coated Copper: 16oz 20 oz.	XIncluding Flange (Flange 1" outward unless specified)
Freedom Grey Copper: 16 oz Stucco/Rock/Façade Ready Galv Stainless Copper	Outside Mount:  X Skirt Dimension (Outer dimension of chimney or chase cover)  X Shroud/Cap Base dimension
MOUNTING STYLE Mount:	(Inset 1.5" on all sides from skirt, unless specified)  Flush Mount:
Flange outward (1" unless otherwise specified)	X Vertical flange dimension (Outer dimension of chimney or chase cover)
Flange inward (2" unless otherwise specified)	Mesh/Screening:  Galv. (5/8") Stainless Steel (1/3") Copper (5/8")
Outside Mount: Skirt Length (3" unless otherwise specified)	45 Degree 90 degree
Flush Mount: Vertical flange length (3"unless otherwise specified)	TERMINATION/CHIMNEY TYPE:  Masonry # of flues Tallest height
NOTES:	Metal/Pre-Fab:
	Direct Vent # of flues Tallest height
	B- Vent # of flues Tallest height
	All Fuel # of flues Tallest height
	Air Cooled # of flues Tallest height
	None: Other:

#### Customize.

Accustomed to designing and manufacturing from sketches, architectural details or photo-graphs. Feel free to supply us with your image, and we will glady supply a 3D rendering for approval.





## and More.



Other products and fabrication services such as:

- \* Accessories/Other Products
- **★** Commercial Vents
- **★** Pot Toppers
- **★** Chase Covers
- **★** Cupolas





(818) 564-4253 Main

(818) 564-4232 Fax

6520 Platt Ave #577 West Hills, CA 91307

WWW.BURNTECH.COM



